

Synchronization Examples

Review Questions

Section 6.1

- 7.1 If the current value of counter = 5, what are its possible values if the producer and consumer processes run concurrently?
- **7.2** What is the term for describing the situation where shared data may be manipulated concurrently and the outcome of the execution depends upon the order of access?

Section 6.2

- **7.3** What is the term used to describe the segment of code where shared data is accessed and possibly manipulated?
- **7.4** What are the three requirements a solution to the critical-section problem must satisfy?
- **7.5** True or False? A nonpreemptive kernel is essentially free from race conditions.

Section 6.3

7.6 True or False? There are no guarantees Peterson's solution works correctly on modern computer architectures.

??

- 7.7 True or False? All solutions to the critical section problem are based on the premise of locking.
- **7.8** What are the two general hardware instructions that can be performed atomically?

Section 6.5

7.9 What are the two functions used with mutex locks?

16 Chapter 7 Synchronization Examples

7.10 True or False? A spinlock is a type of mutex lock.

Section 6.6

- **7.11** True or False? Semaphores can provide the same functionality as mutex locks.
- **7.12** What are the two operations that can be performed on a semaphore?
- **7.13** True or False? A binary semaphore is functionally equivalent to a mutex lock.

Section 7.1

- **7.14** What are the names of the two processes associated with the bounded-buffer problem?
- **7.15** How many writers may concurrently share the database with the readers-writers problem?
- **7.16** What is the problem if all philosophers simultaneously pick up their left fork?

Section 6.7

- 7.17 What are the two operations that can be performed on a condition variable?
- **7.18** Name at least one modern programming language that has incorporated the idea of a monitor.

Section 7.2

- **7.19** What are the two states of a Windows dispatcher object?
- **7.20** What is available in Linux for updating an integer variable without having to use locks?
- **7.21** True or False? Linux uses spinlocks for both single and multiple processor systems.
- **7.22** What are the Pthreads operations for locking an unlocking a mutex lock?

Section 7.5

7.23 Provide at least one alternative to mutex locks, semaphores, readerwriter locks, and monitors that provide support for concurrent programming.

??

- **7.24** True or False? The system model for deadlocks first requires a process request a resource, then use the resource, and finally release the resource.
- **7.25** What are the four necessary conditions for characterizing deadlock?
- **7.26** Describe one strategy for dealing with deadlocks?

7.27 What is the only reasonable condition that can be used to prevent deadlocks from occurring?