

More Intro to AI

Dr. Melanie Martin

CS 4480

August 29, 2012

Rational Agents

- **Rational Agent:** For each possible percept sequence, a rational agent should select an action that is expected to maximize its performance measure, given the evidence provided by the percept sequence and whatever built-in knowledge the agent has.
- **Performance measure:** An objective criterion for success of an agent's behavior

PEAS

- **PEAS:**
 - Performance measure
 - Environment (task)
 - Actuators
 - Sensors

Environment types

- **Fully observable** (vs. partially observable): An agent's sensors give it access to the complete state of the environment at each point in time.
- **Deterministic** (vs. stochastic): The next state of the environment is completely determined by the current state and the action executed by the agent. (If the environment is deterministic except for the actions of other agents, then the environment is **strategic**)
- **Episodic** (vs. sequential): The agent's experience is divided into atomic "episodes" (each episode consists of the agent perceiving and then performing a single action), and the choice of action in each episode depends only on the episode itself.

Environment types

- **Static** (vs. dynamic): The environment is unchanged while an agent is deliberating. (The environment is **semidynamic** if the environment itself does not change with the passage of time but the agent's performance score does)
- **Discrete** (vs. continuous): A limited number of distinct, clearly defined percepts and actions.
- **Single agent** (vs. multiagent): An agent operating by itself in an environment.

Environment types

	Chess with a clock	Chess without a clock	Taxi driving
Fully observable	Yes	Yes	No
Deterministic	Strategic	Strategic	No
Episodic	No	No	No
Static	Semi	Yes	No
Discrete	Yes	Yes	No
Single agent	No	No	No

- The environment type largely determines the agent design
- The real world is (of course) partially observable, stochastic, sequential, dynamic, continuous, multi-agent

Agent functions and programs

- An agent is completely specified by the agent function mapping percept sequences to actions
 - Mathematical abstraction
 - Program is implementation
- One agent function (or a small equivalence class) is rational
- Aim: find a way to implement the rational agent function concisely


Table-lookup agent

- LookUp(*percepts*, *table*) -> action
- Drawbacks:
 - Huge table
 - Take a long time to build the table
 - No autonomy
 - Even with learning, need a long time to learn the table entries


Agent types

- Four basic types in order of increasing generality:
 - Simple reflex agents
 - Model-based reflex agents
 - Goal-based agents
 - Utility-based agents


Simple reflex agents





Model-based reflex agents



Goal-based agents





Chapter 3

- Search
 - Problem-solving agents
 - Problem types
 - Problem formulation
 - Example problems
 - Basic search algorithms