

Search

Dr. Melanie Martin
CS 4480
September 5, 2012

Reminders

- Download of `aima_lisp` on Sept. 7th
- Sept. 7th is a lab day
- Homework 1 Due Sept. 10th
- Project Proposal Due on Sept. 14th

Chapter 3

- Search
 - Problem-solving agents
 - Problem types
 - Problem formulation
 - Example problems
 - Basic search algorithms

Problem-solving agents

```

function SIMPLE-PROBLEM-SOLVING-AGENT(percept) returns an action
  static: seq, an action sequence, initially empty
          state, some description of the current world state
          goal, a goal, initially null
          problem, a problem formulation


  state ← UPDATE-STATE(state, percept)
  if seq is empty then do
    goal ← FORMULATE-GOAL(state)
    problem ← FORMULATE-PROBLEM(state, goal)
    seq ← SEARCH(problem)
  action ← FIRST(seq)
  seq ← REST(seq)
  return action

```

Example: Romania

- On holiday in Romania; currently in Arad.
- Flight leaves tomorrow from Bucharest
- **Formulate goal:**
 - be in Bucharest
- **Formulate problem:**
 - **states:** various cities
 - **actions:** drive between cities
- **Find solution:**
 - sequence of cities, e.g., Arad, Sibiu, Fagaras, Bucharest

Example: Romania




Problem types

- Deterministic, fully observable → **single-state problem**
 - Agent knows exactly which state it will be in; solution is a sequence
- Non-observable → **sensorless problem (conformant problem)**
 - Agent may have no idea where it is; solution is a sequence
- Nondeterministic and/or partially observable → **contingency problem**
 - percepts provide **new** information about current state
 - often **interleave** search, execution
- Unknown state space → **exploration problem**

Example: vacuum world


- Single-state, start in #5.
Solution?



Example: vacuum world

- Single-state, start in #5.
Solution? [Right, Suck]


- Sensorless, start in {1,2,3,4,5,6,7,8} e.g., Right goes to {2,4,6,8}
Solution?



Example: vacuum world

- Sensorless, start in {1,2,3,4,5,6,7,8} e.g., Right goes to {2,4,6,8}
Solution? [Right, Suck, Left, Suck]


- Contingency
 - Nondeterministic: Suck may dirty a clean carpet
 - Partially observable: location, dirt at current location.
 - Percept: [L, Clean], i.e., start in #5 or #7
Solution?



Example: vacuum world

- Sensorless, start in {1,2,3,4,5,6,7,8} e.g., Right goes to {2,4,6,8}
Solution? [Right, Suck, Left, Suck]

- Contingency
 - Nondeterministic: Suck may dirty a clean carpet
 - Partially observable: location, dirt at current location.
 - Percept: [L, Clean], i.e., start in #5 or #7
Solution? [Right, if dirt then Suck]



Single-state problem formulation


A **problem** is defined by four items:

1. **initial state** e.g., "at Arad"
 2. **actions or successor function** $S(x)$ = set of action–state pairs
 - e.g., $S(\text{Arad}) = \{\langle \text{Arad} \rightarrow \text{Zerind}, \text{Zerind} \rangle, \dots \}$
 3. **goal test**, can be
 - explicit, e.g., $x = \text{"at Bucharest"}$
 - implicit, e.g., $\text{Checkmate}(x)$
 4. **path cost** (additive)
 - e.g., sum of distances, number of actions executed, etc.
 - $c(x, a, y)$ is the **step cost**, assumed to be ≥ 0
- A **solution** is a sequence of actions leading from the initial state to a goal state

Selecting a state space


- Real world is absurdly complex
→ state space must be **abstracted** for problem solving
- (Abstract) state = set of real states
- (Abstract) action = complex combination of real actions
— e.g., "Arad → Zerind" represents a complex set of possible routes, detours, rest stops, etc.
- For guaranteed realizability, **any** real state "in Arad" must get to **some** real state "in Zerind"
- (Abstract) solution =
— set of real paths that are solutions in the real world
- Each abstract action should be "easier" than the original problem

Vacuum world state space graph




- states?
- actions?
- goal test?
- path cost?

Vacuum world state space graph



- states? integer dirt and robot location
- actions? *Left, Right, Suck*
- goal test? no dirt at all locations
- path cost? 1 per action

Example: The 8-puzzle



- states?
- actions?
- goal test?
- path cost?