

Coding and Information Theory

Chapter 2

Optimal Codes - B

Xuejun Liang

2022 Fall

Content of Chapter 2

2.1 Optimality

2.2 Binary Huffman Codes

2.3 Average Word-length of Huffman Codes

2.4 Optimality of Binary Huffman Codes

2.5 r -ary Huffman Codes

2.6 Extensions of Sources

2.2 Binary Huffman Codes

- Let $T = Z_2 = \{0,1\}$, Given a source S , we renumber the source-symbols s_1, \dots, s_q , so that

$$p_1 \geq p_2 \geq \dots \geq p_q .$$

- Form a reduced source S' by combining the two least-likely symbols.
- Given any binary code C' for S' , we can form a binary code C for S :

$$\begin{array}{l}
 S : \quad s_1, \dots, s_{q-2}, \underbrace{s_{q-1}, s_q} \\
 S' : \quad s_1, \dots, s_{q-2}, \quad s' \\
 \\
 p_1, \dots, p_{q-2}, \underbrace{p_{q-1}, p_q} \\
 p_1, \dots, p_{q-2}, \quad p' \\
 \\
 C : \quad w_1, \dots, w_{q-2}, \underbrace{w'0, w'1} \\
 C' : \quad w_1, \dots, w_{q-2}, \quad w'
 \end{array}$$

Example 2.5

$$S \rightarrow S' \rightarrow \dots \rightarrow S^{(q-2)} \rightarrow S^{(q-1)}$$

$$C \leftarrow C' \leftarrow \dots \leftarrow C^{(q-2)} \leftarrow C^{(q-1)}.$$

- Let S have $q = 5$ symbols s_1, \dots, s_5 with probabilities $p_i = 0.3, 0.2, 0.2, 0.2, 0.1$.

Compute Huffman code and $L(C)$

S			0.3	0.2	0.2	0.2	0.1
C			01	10	11	000	001
S'			0.3	0.3	0.2	0.2	
C'			00	01	10	11	
S''			.4	0.3	0.3		
C''			1	00	01		
S'''			0.6	.4			
C'''			0	1			
S''''			1.0				
C''''			ϵ				

Example 2.6

$$\begin{aligned} S &\rightarrow S' \rightarrow \dots \rightarrow S^{(q-2)} \rightarrow S^{(q-1)} \\ C &\leftarrow C' \leftarrow \dots \leftarrow C^{(q-2)} \leftarrow C^{(q-1)}. \end{aligned}$$

- Let S have $q = 5$ symbols s_1, \dots, s_5 again, but now suppose that they are equiprobable, that is,

$$p_1 = \dots = p_5 = 0.2.$$

Compute Huffman code and $L(C)$.

How the probability distribution affects the average word-length of Huffman codes

- In general, the greater the variation among the probabilities p_i , the lower the average word-length of an optimal code.
- Note: **entropy** can be used to measure the amount of variation in a probability distribution.
 - Will study later in next chapter.

2.3 Average Word-length of Huffman Codes

$$\begin{aligned}L(C) - L(C') &= p_{q-1}(l+1) + p_q(l+1) - (p_{q-1} + p_q)l \\ &= p_{q-1} + p_q \\ &= p',\end{aligned}\tag{2.3}$$

- Note p' is the "new" probability created by reducing S to S' .
- If we iterate this, using the fact that $L(C^{(q-1)}) = |\varepsilon| = 0$, we find that

$$L(C) = p' + p'' + \dots + p^{(q-1)}\tag{2.4}$$

- the sum of all the new probabilities $p', p'', \dots, p^{(q-1)}$ created in reducing S to $S^{(q-1)}$.

Try Example 2.5 and Example 2.6

2.5

S				0.3	0.2	0.2	0.2	0.1
S'			0.3	0.3	0.2	0.2		
S''		0.4	0.3	0.3				
S'''	0.6	0.4						
S''''	1.0							

2.6

S				0.2	0.2	0.2	0.2	0.2
S'			0.4	0.2	0.2	0.2		
S''		0.4	0.4	0.2				
S'''	0.6	0.4						
S''''	1.0							

2.4 Optimality of Binary Huffman Codes

- **Definition**

- Two binary words w_1 and w_2 to be siblings if they have the form $x0, x1$ (or vice versa) for some word $x \in T^*$.

- **Lemma 2.7**

- Every source S has an optimal binary code D in which two of the longest code-words are siblings.

- **Proof:** By Theorem 2.3, there is an optimal binary code for S

Let us choose such a code D which has the minimal total word length $\sigma(D)$

Choose a longest code-word w in D

Assume $w = x0$, then $x1 \in D$. So, D has two longest sibling code-words

If $x1 \notin D$. Let $D' = (D - \{x0\}) \cup \{x\}$.

Then D' is a prefix code and $\sigma(D') < \sigma(D)$. This is a contradiction!

Theorem 2.8: If C is a binary Huffman code for a source S , then C is an optimal code for S .

• **Proof:**

Lemma 2.4 shows that C is instantaneous.
So, it is sufficient to show that $L(C)$ is minimal

We use induction on the number q of source-symbols.

If $q = 1$ then $C = \{\epsilon\}$ with $L(C) = 0$, so the result is trivially true.

Assume that $L(C)$ is minimal for all sources with $q - 1$ symbols

Prove that $L(C)$ is minimal for all sources with q symbols

Let $S = \{s_1, s_2, \dots, s_{q-2}, s_{q-1}, s_q\}$ and $S' = \{s_1, s_2, \dots, s_{q-2}, s'\}$, $s' = s_{q-1} \vee s_q$

Now let $D: s_i \rightarrow x_i$ be the optimal binary code for S given by Lemma 2.7

D has a sibling pair of longest code-words: $x_{q-1} = x_0$ and $x_q = x_1$

Now form a code D' for S' : $s_i \rightarrow x_i$ ($i < q-1$) and $s' \rightarrow x$

$$L(D) - L(D') = p_{q-1} + p_q = L(C) - L(C'), \quad L(D') - L(C') = L(D) - L(C)$$

Now C' is a Huffman code for S' , a source with $q-1$ symbols, so by the induction hypothesis C' is optimal

$$L(C) \leq L(D)$$

2.5 *r*-ary Huffman Codes

- If we use an alphabet T with $|T| = r > 2$, then the construction of r -ary Huffman codes is similar to that in the binary case.
 - Merge r source symbols together at a time
 - Note: may need to add some dummy symbols such that
$$q \equiv 1 \pmod{r - 1}$$

Example 2.9

Let $q = 6$ and $r = 3$. Since $r - 1 = 2$ we need $q \equiv 1 \pmod{2}$, so we adjoin an extra symbol s_7 to S , with $p_7 = 0$

The reduction process now gives

Example 2.10

Let $q = 6$ and $r = 3$ and suppose that the symbols s_1, \dots, s_6 , of S have probabilities $p_i = 0.3, 0.2, 0.2, 0.1, 0.1, 0.1$.

After adjoining s_7 with $p_7 = 0$, we find that the reduction process is as follows:

2.6 Extensions of Sources

- Let S be a source with
 - q symbols s_1, \dots, s_q of
 - probabilities p_1, \dots, p_q
- The n -th extension S^n of S is the source with
 - q^n symbols $s_{i_1} \dots, s_{i_n}$ ($s_{i_j} \in S$)
 - probabilities $p_{i_1} \dots, p_{i_n}$
- Note: The probabilities $p_{i_1} \dots, p_{i_n}$ form a probability distribution by
 - Expanding the left-hand side of the equation

$$(p_1 + \dots + p_q)^n = 1^n = 1$$

Example 2.11

Let S have source $S = \{s_1, s_2\}$ with $p_1 = 2/3, p_2 = 1/3$.

Then S^2 has source alphabet $= \{s_1s_1, s_1s_2, s_2s_1, s_2s_2\}$
with probabilities $4/9, 2/9, 2/9, 1/9$.

Example 2.12: S is as in Example 2.11

A binary Huffman code C : $s_1 \mapsto 0$, $s_2 \mapsto 1$

Average word-length $L(C) = 1$

Construct a Huffman code C^2 for S^2

Average word-length $L(C^2) = ?$

You will see $L(C^2)/2 < L(C) = 1$

Extensions of Sources: decoding

- Decode a pair (two consecutive symbols), rather than one symbol, at a time.
 - Not quite instantaneous
 - A bounded delay while waiting for pairs to be completed
- Can construct a Huffman code C^3 for S^3
 - Can show $L(C^3)/3 < L(C^2)/2$
- Continuing this principle, construct a Huffman code C^n for S^n
 - the average word-length $L(C^n)/n \rightarrow ?$ as $n \rightarrow \infty$